

Maharashtra University of Health Sciences, Nashik  
Inspection Committee Report for Academic Year 2025-26



**Clinical Material in Hospital**

Name of College/Institute. Sahyadri College of Nursing, Faculty. UG Nursing (BSc & PB BSc)

**HOSPITAL DETAILS**

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) <b>To be made available on web site</b>	Available	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: <b>Copy to be made available on web site</b>	Yes	Adequate
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual. <b>200 Parent 500 Affiliated</b>	Yes	Adequate
c.	Average Bed Occupancy in %: (Minimum 75%) <b>78%</b>	Yes	Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)	NA	NA
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) <b>61</b> (iii) Average Number of patients attending OPD(current year) <b>13200/Year</b> (iv) Average Number of Delivery (Current year) <b>180 / Year</b> (v) Average Number of abnormal Delivery (Current year) <b>53</b>	Yes	Adequate
<ul style="list-style-type: none"> <li>As per Central Council Norms/ University Norms, above Infrastructure must be available at College.</li> <li>If Infrastructure is available, then mark "Adequate"&amp; do not attach any Documents it should be available on college website</li> <li>In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report</li> </ul>			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief

Any Other, Please Specify:-

Date: - 01/02/2025

Chairman of LIC

Member Of LIC

Dean/ Principal Stamp & Signature  
Principal  
Sahyadri College of Nursing  
Osmanabad-413501

Member Of LIC



आरोग्य विभाग  
जिल्हा परिषद धाराशिव  
जिल्हा आरोग्य अधिकारी कार्यालय, दुसरा मजला, जिल्हा परिषद  
धाराशिव



कार्यालय जिल्हा आरोग्य अधिकारी, कार्यालय जिल्हा परिषद धाराशिव पिन - ४१३५०१	Website : <a href="http://maha-arogya.gov.in">http://maha-arogya.gov.in</a> Email: <a href="mailto:dhoosmanabad@gmail.com">dhoosmanabad@gmail.com</a> , <a href="mailto:idsposmanabad@rediffmail.com">idsposmanabad@rediffmail.com</a> Email: <a href="mailto:nrhmdpmosmanabad@gmail.com">nrhmdpmosmanabad@gmail.com</a>
	जा.क्र./जिपउ/आवि/प्रसिध्दी/कावि/ ११३३/२०२४
	दिनांक :- २०/१२/२०२४

प्रति,

प्राचार्य सह्याद्री कॉलेज ऑफ नर्सिंग धाराशिव.

विषय :- खाजगी परिचर्या संस्थेतील विद्यार्थ्यांना प्रात्यक्षिक अनुभा करिता परवानगी बाबत  
प्राचार्य. सह्याद्री कॉलेज ऑफ नर्सिंग धाराशिव. (बी.एससी नर्सिंग व पी.बी.बी.एससी नर्सिंग)

संदर्भ :- 1) आपले कार्यालयाचे पत्र जाक्र एससीओएन/ २०२४-२५/४७ दिनांक. १०-१२-२०२४

उपरोक्त संदर्भान्वये आपणास कळविण्यात येते की, संदर्भ क्र. १ नुसार आपल्या संस्थेने मागणी केल्यानुसार बी.एससी नर्सिंग व पी.बी.बी.एससी नर्सिंग) अभ्यास क्रमासाठी शैक्षणिक वर्ष २०२४-२५, २०२५-२६, आणि २०२६-२७ या कालावधी कारिता ग्रामीण भागाकरिता प्राथमिक आरोग्य केंद्र पोहनेर, येडशी, बेंबळी व समुद्रवाणी याठिकाणी प्रात्यक्षिक अनुभावासाठी परवानगी करण्यात आलेली आहे. तसेच शहरी भागाकरिता आरोग्य केंद्र राम नगर धाराशिव व शहरी आरोग्य केंद्र वैराग रोड धाराशिव याठिकाणी प्रात्यक्षिक अनुभवासाठी परवानगी करण्यात आलेली आहे.



  
District Health Officer  
जिल्हा आरोग्य अधिकारी  
Zilla Parishad, Osmanabad  
जिल्हा परिषद धाराशिव.

प्रत माहितीस्तव सविनय सादर :-

१. मा. संचालक आरोग्य सेवा, रुग्णालय राज्यस्तर मुंबई.
२. मा. उपसंचालक आरोग्य सेवा मंडळ लातूर



महाराष्ट्र MAHARASHTRA

2024

14AB 823522

दिनांक 30/11/2025  
धाराशिव अ.क्र. 108/16 दिनांक 30/11/2025  
श्री. जयशंकर शिंदे यांच्या घराबंदी  
हस्त  
यांना जनरल स्टॅम्प मागितले वरून हा स्टॅम्प दिला  
मुद्रांक खरेदीचे कारण .....

जगदीश ह. पाटील  
मुद्रांक विक्रेता, धाराशिव  
परवाना क्र. 3501001



करारनामा

लिहून घेणार :- डॉ. रमेश विठ्ठलराव दापके, वय- 74 वर्षे  
सचिव- श्री. कुलस्वामीनी शिक्षण प्रसारक मंडळ, धाराशिव.  
लिहून देणार :- डॉ. वसुधा दिग्गज दापके-देशमुख  
संचालिका- सहयाद्री मल्टीस्पेशलिटी हॉस्पिटल्स, धाराशिव.  
संचालिका- श्री. कुलस्वामीनी शिक्षण प्रसारक मंडळ, धाराशिव.

कारणे करारनामा लिहून देते की, लिहून घेणार यांच्या श्री. कुलस्वामीनी शिक्षण प्रसारक मंडळ, धाराशिव या संस्थेच्या सहयाद्री कॉलेज ऑफ नर्सिंग (बी.एस्सी. नर्सिंग) धाराशिव या अभ्यासक्रमासाठी प्रवेशित विद्यार्थ्यांना

Sanjay S. Sogdani  
NOTARY & ADVOCATE  
Kurne Nagar, Dharaashiv  
Reg.No.11233  
Cell No.9110369931

Principal  
Sahyadri College of Nursing  
Osmanabad-413501


प्रात्यक्षिकासाठी धाराशिव शहरातील 200 खाटांचे सहयाद्री मल्टीस्पेशलिटी हॉस्पिटल्स, धाराशिव हे पुढील 30 वर्षाकरीता पॅरेन्ट हॉस्पिटल म्हणून उपलब्ध करून देण्यात आलेले आहे. तसेच मी स्वतः सदरील संस्थेची सदस्य असल्यामुळे माझे हे हॉस्पिटल पॅरेन्ट हॉस्पिटल म्हणून पुढील 30 वर्षाकरीता देण्यास माझी काहीही हरकत राहणार नाही. शासनाच्या नियमाप्रमाणे जिथे जिथे गरेज पडेल तिथे पॅरेन्ट हॉस्पिटल म्हणून माझे हॉस्पिटल उपलब्ध राहिल अशी मी हमी देत आहे.

सदरील करारनामा मी माझे राजीखुशीने अक्कल हुशारीने कोणाच्याही दबावाला बळी न पडता खालील साक्षीदारासमक्ष लिहून दिले ते खरे व बरोबर आहे.

*Rajee*  
लिहून घेणार:- डॉ. रमेश विठ्ठलराव दापके  
सचिव- श्री. कुलस्वामीनी शिक्षण प्रसारक मंडळ, धाराशिव.

*Vasudha*  
लिहून देणार :- डॉ. वसुधा दिग्गज दापके-देशमुख  
संचालिका- सहयाद्री मल्टीस्पेशलिटी हॉस्पिटल्स, धाराशिव.  
संचालिका- श्री. कुलस्वामीनी शिक्षण प्रसारक मंडळ, धाराशिव.

साक्षीदार :- 1) रजवी अर्शाद *Rajee*  
2) माने शशिकांत *maness*



SIGNED BEFORE ME

*Sanjay S. Jogdand*  
SANJAY S. JOGDAND  
NOTARY & ADVOCATE  
Reg.No.11233  
Kurne Nagar, Dharashiv



11 FEB 2025



महाराष्ट्र शासन

सार्वजनिक आरोग्य विभाग

जिल्हा शल्य चिकित्सक, जिल्हा रुग्णालय, धाराशिव

Annexure -III

FORM C

**Certificate of Registration under Section 5 of the**  
**Bombay Nursing Home Registration Act**  
**Amendment 2006**  
**(Under Rule 5)**

**Reg. No:- 177**

*This is to certify that **Dr Vasudha Diggaj Dapke-Deshmukh** has been registered under the Bombay Nursing Homes Registration Act Amendment 2006 in respect of **Sahyaadri Multispeciality Hospital** situated at **Chatrapati Sambhaji Raje Marg (DIC Road), Kakade Plot, Dharashiv Tal:-Dharashiv Dist:- Dharashiv** and has been authorized to carry on the said Nursing Home..*

**Registration No.:- 177**

**ICU Beds: - 10**  
**NICU Beds: - 10**  
**Maternity Beds: - 30**  
**Other Beds: - 150**  
**Total Beds: - 200**

*Date of issue of Certificate:- 20/12/2024*  
*This Certificate shall be valid up to: - 31 March 2027*



*(Signature)*  
**Civil Surgeon**  
**Civil Surgeon**  
**General Hospital, Dharashiv**  
**District Dharashiv**

*(Signature)*  
**Principal**  
**Sahyadri College of Nursing**  
**Osmanabad-413501**

# CHAMPAVATI WASTE MANAGEMENT

Laximan Nagar, Barshi Road, Beed.  
Tq. & Dist. Beed. Mob. 9970147400

No. 387

Date: 12/01/2025

## AUTHORISED MEMBERSHIP FORM & CERTIFICATE

To, SAHVAADRI MULTISPECIALTY  
HOSPITAL  
DIC ROAD, KALADE PLOT, DHARASHIV.



Bio-hazard

### Sub : Disposal of Biomedical Waste


Respected Sir / Madam,

With reference to the above subject this is to be certify that you are attached to our CBWTF form the period of 12/01/2025 to 11/01/2027 the information souehted by you is as follows :

- A. No. of Bed :- 200 Beds
- B. Is the firm registered to MPCB :- \_\_\_\_\_
- C. Category (See schedule 1) of Waste to be handled. :- 1, 4, 6, 7
- D. Quantity of Waste (Categorwise) to be handled per months :- 900kg, 200kg, 1500kg, 200kg

Hance it is certified that you are member for Champavati Waste Management, Beed.

Thanking You

  
Champavati Waste Management  
Beed.

Director  
Champavati Waste Management

  
Principal

Sahyadri College of Nursing  
Osmanabad-413501

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0240 - 2473462  
Fax: 0240 - 2473461  
Website: <http://mpcb.gov.in>  
Email:  
roaurangabad@mpcb.gov.in



Paryavaran Bhavan, A - 4/1,  
MIDC Area , Chikalthana,  
Near Seth Nandlal Dhoot  
Hospital, Jalna Road ,  
Aurangabad - 431 210

ORANGE/S.S.I

Date: 10/01/2025

No:- Format1.0/RO/UAN No.0000168943/CO/2310001053

To,  
Sahyaadrie Multispeciality Hospitals, Dharashiv  
,DIC road Kakade Plot Dharashiv  
-413501  
Email:diggajdd@yahoo.co.in  
Contact No.:9223397777



Your Service is Our Duty

*Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref: 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000168943& BMW Auth No.  
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 27/11/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. 31.12.2027

  
Principal  
Sahyadri College of Nursing  
Osmanabad-413501

2. The capital investment of the HCF is ₹105.40 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 3000.00 M<sup>2</sup> with Built-up area 2000.00 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds : 200 Nos. (As per BNH certificate no. 177 valid upto 31-03-2027)
    - I. NICU Beds : 10 Nos
    - II. ICCU/ICU Beds : 10 Nos
    - III. Maternity Beds : 30 Nos
    - IV. Other Beds : 150 Nos
5. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 3 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in Annexure-I
  3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
6. **Conditions under the Air (P&CP) Act,1981:-**
  1. You shall use the fuel for DG set as specified in the Annexure-II.
  2. You shall provide adequate emission control system to DG set as specified in Annexure-II.
  3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

**7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

8. **Conditions under Solid Waste Management rules 2016**
  1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
  2. You shall Not mix general solid waste with Bio Medical Waste.
9. **Conditions under BMW Management rules, 2016 (As Amended):-**

  
**Principal**  
 Sahyadri College of Nursing  
 Osmanabad-413501

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
  2. You shall segregate and handover BMW to BMW T&D CTF **Champavati Waste Management, Beed** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
  3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
  4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
10. You shall not undertake Modifications/ Up gradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
  11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
  12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
  13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
  14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
  15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
  16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.



b2b60ac9  
9509e405  
9d0898c7  
de7c1e95  
6b688a76  
c7b041ab  
2579e686  
0e31eb82

Signed by: **Sujit Suhas Dholam**  
Regional Officer  
For and on behalf of  
**Maharashtra Pollution Control Board**  
[roaurangabad@mpcb.gov.in](mailto:roaurangabad@mpcb.gov.in)  
2023-10-13 17:39:42 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	17000.00	TXN2304003854	27/11/2024	Online Payment
2	500.00	TXN2310001094	01/01/2025	Online Payment

Copy to:

Principal  
**Sahyadri College of Nursing**  
Osmanabad-413501

1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Latur
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



**Annexure - I**

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	1.00
2.	Domestic purpose	2.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C )	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

  
**Principal**  
**Sahyadri College of Nursing**  
**Osmanabad-413501**

**Annexure - II**

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
---------	-------------------	-----------	----------	--------------------

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

  
**Principal**  
**Sahyadri College of Nursing**  
**Osmanabad-413501**

**SCHEDULE-I****Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	10.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Champavati Waste Management, Beed Beed
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	5.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	toclave safe istic bags or containers.	
2	Red	Contaminated waste (Recyclable)	5.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Champavati Waste Management, Beed Beed
3	White (Translucent)	Waste sharps including Metals	7.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Champavati Waste Management, Beed Beed
4	Blue	a) Glassware	8.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Champavati Waste Management, Beed Beed
		b) Metallic body implants	0.00		

  
**Principal**  
**Sahyadri College of Nursing**  
**Osmanabad-413501**

## SCHEDULE-II

### **Responsibilities of the Health Care Facility**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Champavati Waste Management, Beed** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Aurangabad and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

  
Principal

Sahyadri College of Nursing

Osmanabad-413501

**SCHEDULE-III****Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	30,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	70,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	30,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	60,000.00
<b>2</b>	<b>Performance</b>		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	60,000.00
<b>Total</b>			<b>2,50,000.00</b>

**Note:** You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

  
**Principal**  
**Sahyadri College of Nursing**  
**Osmanabad-413501**

**General Conditions**

**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Aurangabad.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

  
**Principal**  
**Sahyadri College of Nursing**  
**Osmanabad-413504**

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---



  
**Principal**  
**Sahyadri College of Nursing**  
**Osmanabad-413501**

भारतीय गैर न्यायिक

एक सौ रुपये

Rs. 100

रु. 100

ONE HUNDRED RUPEES



सत्यमेव जयते

भारत INDIA

INDIA NON JUDICIAL



महाराष्ट्र

2024 08 0 JAN 2025

14AB 790200

धाराशिव १००८  
 १०७९५ दिनांक  
 श्री. कुलस्वामिनी शिक्षण प्रसारक मंडल धाराशिव  
 हस्ते श्री. जगदीश ह. पाटील  
 यांना जनरल स्टॅम्प मागितले वरून हा स्टॅम्प दिला  
 मुद्रांक खरेदीचे कारण

कोषागार कार्यालय  
 धाराशिव  
 27 JAN 2025  
 मु.प्र.वि. / उप को.अ.  
 धाराशिव



जगदीश ह. पाटील  
 मुद्रांक विक्रेता, धाराशिव  
 परवाना क्र. 3501001

To,

The Principal,  
 Shri. Kulswamini Shikshan Prasarak Mandal's  
 Sahyadri College of Nursing (B.Sc. Nursing & P.B. B.Sc. Nursing),  
 Dharashiv.

This is to certify that Shri. Kulswamini Shikshan Prasarak Sahyadri College of Nursing (B.Sc. Nursing & P.B. B.Sc. Nursing), Dharashiv is allowed to do work our **Manodeep Mental Health and Rehabilitation Center, Kurduwadi Road, Barshi** for the next 10 years. We were 50 bedded hospital Psychiatric Hospital at Barshi.

**SANJAY S. JOGDAND**  
 NOTARY & ADVOCATE  
 Kurne Nagar, Dist. Solapur  
 Reg. No. 112  
 Cell No. 9130169931

Principal  
 Sahyadri College of Nursing  
 Osmanabad-413501

Manodeep Mental Health  
 And Rehabilient Center,  
 Barshi Dist. Solapur

# CHAMPAVATI WASTE MANAGEMENT

Laximan Nagar, Barshi Road, Beed.  
Tq. & Dist. Beed. Mob. 9970147400

No. 439

Date: 20/04/2025

## AUTHORISED MEMBERSHIP FORM & CERTIFICATE

To: Monodeep Mental Health &  
Rehabilitation Centre,  
Barshi. Dist:- Solapur.



Bio-hazard

### Sub : Disposal of Biomedical Waste


Respected Sir / Madam,

With reference to the above subject this is to be certify that you are attached to our CBWTF form the period of 20/01/2025 to 19/04/2027. the information souehted by you is as follows :

- A. No. of Bed :- 50 Beds
- B. Is the firm registered to MPCB :- \_\_\_\_\_
- C. Category (See schedule 1) of Waste to be handled. :- 1, 4, 6 & 7,
- D. Quantity of Waste (Categorwise) to be handled per months :- 50 kg, 50 kg, 40 kg 50 kg.

Hance it is certified that you are member for Champavati Waste Management, Beed.

Thanking You

  
Champavati Waste Management  
Beed.

Principal

Sahyadri College of Nursing  
Osmanabad-413501

Director  
Champavati Waste Management



MHARASHTRA POLIION CONTROL BORAD

सार्वजनिक आरोग्य विभाग  
जिल्हा शल्य चिकित्सक, जिल्हा रुग्णालय, सोलापूर

ANNEXURE-III

FORM C

Certificate of Registration under Section 5 of the  
Bombay Nursing Home Registration Act.

Amendment 2006

(Under Rule 5)

No:-157

This is to certify that *Dr. Krishana Mastood* has been registered under the Bombay Nursing Homes registration Act Amendment 2006 in respect of *Manodeep Mental Health and Rehabilitation Centre*, situated at, *Tal:- Barshi Dist:- Solapur* and has been authorized to carry on the said Nursing Home.

Registration No :- 157

Maternity

Cots :-00

Date of Registration..12-04-2018


Other Nursing patients

Cots :-50

Date of issue of certificate :..25-04-2024.

This Certificate shall be valid up to 31th March 2026



  
Civil Surgeon  
Civil Surgeon  
General Hospital, Solapur  
Civil Hospital, Solapur

  
Principal  
Sahyadri College of Nursing  
Osmanabad-413501

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0240 - 2473462  
Fax: 0240 - 2473461  
Website: <http://mpcb.gov.in>  
Email:  
raurangabad@mpcb.gov.in



Paryavaran Bhavan, A - 4/1,  
MIDC Area , Chikalthana,  
Near Seth Nandlal Dhoot  
Hospital, Jalna Road ,  
Aurangabad - 431 210

ORANGE/S.S.I

Date: 04/01/2025

No:- Format1.0/RO/UAN No.0000169029/CO/2310001105

To,  
Manodeep Mental Health and Rehabilitation  
Centre  
Barshi Dist. Solapur



Your Service is Our Duty

*Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref: 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000168943& BMW Auth No.  
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 20/11/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Trans boundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. 31.12.2027

  
Principal  
Sahyadri College of Nursing  
Osmanabad-413501

2. The capital investment of the HCF is ₹30.40 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 2000.00 M<sup>2</sup> with Built-up area 1500.00 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds : 50 Nos. (As per BNH certificate no. 157 valid upto 31-03-2026)
    - I. NICU Beds : 00 Nos
    - II. ICCU/ICU Beds : 00 Nos
    - III. Maternity Beds : 00 Nos
    - IV. Other Beds : 50 Nos
5. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 3 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in Annexure-I
  3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
6. **Conditions under the Air (P&CP) Act,1981:-**
  1. You shall use the fuel for DG set as specified in the Annexure-II.
  2. You shall provide adequate emission control system to DG set as specified in Annexure-II.
  3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

**7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

8. **Conditions under Solid Waste Management rules 2016**
  1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
  2. You shall Not mix general solid waste with Bio Medical Waste.
9. **Conditions under BMW Management rules, 2016 (As Amended):-**

  
**Principal**  
 Sahyadri College of Nursing  
 Osmanabad-413501

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Champavati Waste Management, Beed** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
10. You shall not undertake Modifications/ Up gradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.



b2b60ac9  
9509e405  
9d0898c7  
de7c1e95  
6b688a76  
c7b041ab  
2579e686  
0e31eb82

Signed by: **Sujit Suhas Dholam**  
Regional Officer  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
[roaurangabad@mpcb.gov.in](mailto:roaurangabad@mpcb.gov.in)  
2023-10-13 17:39:42 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	13000.00	TXN2304004528	27/11/2024	Online Payment
2	500.00	TXN2310001657	30/12/2024	Online Payment

Copy to:

**Principal**  
**Sahyadri College of Nursing**  
**Osmanabad-413507**

1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Latur
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



**Annexure - I**

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

**A. Water Consumption Details:-**

<i>Sr. No.</i>	<i>Purpose for water consumed</i>	<i>Water consumption quantity (CMD)</i>
1.	Industrial Cooling, spraying in mine pits or boiler feed	1.00
2.	Domestic purpose	2.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

**B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-**

<i>Sr. No.</i>	<i>Description</i>	<i>Permitted quantity of discharge (CMD)</i>	<i>Standards to be achieved</i>	<i>Disposal</i>
1	Domestic Sewage	1	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

**C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.**

<i>Sr. No.</i>	<i>Parameters</i>	<i>Discharge Standards applicable</i>	
		<i>Limiting Concentration in mg/except for pH</i>	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C )	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

  
**Principal**  
**Sahyadri College of Nursing**  
**Osmanabad-413501**

**Annexure - II**

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
---------	-------------------	-----------	----------	--------------------

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

  
**Principal**  
**Sahyadri College of Nursing**  
**Osmanabad-413501**

**SCHEDULE-I****Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	10.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Champavati Waste Management, Beed Beed
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	5.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	toclave safe istic bags or containers.	
2	Red	Contaminated waste (Recyclable)	5.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Champavati Waste Management, Beed Beed
3	White (Translucent)	Waste sharps including Metals	7.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Champavati Waste Management, Beed Beed
4	Blue	a) Glassware	8.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Champavati Waste Management, Beed Beed
		b) Metallic body implants	0.00		

**Responsibilities of the Health Care Facility**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Champavati Waste Management, Beed** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Aurangabad and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

  
**Principal**

**SCHEDULE-III****Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	15,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	30,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	30,000.00
<b>2</b>	<b>Performance</b>		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
<b>Total</b>			<b>1,25,000.00</b>

**Note:** You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

**General Conditions**

**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Aurangabad.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluent s. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---

